

ORDINANCE					
BILL	46	20	2	2	

RELATING TO HEIGHT LIMITS FOR ROOFTOP STRUCTURES.

BE IT ORDAINED by the People of the City and County of Honolulu:

SECTION 1. Purpose. The purpose of this ordinance is to increase the proliferation of rooftop solar panels by allowing rooftop solar panels to be placed above rooftop equipment and allowing the creation of new rooftop gathering space underneath rooftop solar panels.

SECTION 2. Section 21-4.60, Revised Ordinances of Honolulu 1990 ("Heights"), is amended by amending subsections (c) and (d) to read as follows:

- "(c) The following structures and associated screening [shall be] are exempt from zoning district height limits under the following specified restrictions:
 - (1) Vent pipes, fans, roof access stairwells, and structures housing rooftop machinery, such as elevators and air conditioning, not to exceed 18 feet above the governing height limit[, except]; provided that structures housing rooftop machinery on detached dwellings and duplex units [shall not be] are not exempt from zoning height limits.
 - (2) Chimneys, which may also project into required height setbacks.
 - (3) Safety railings not to exceed 42 inches above the governing height limit.
 - (4) Utility Poles and Antennas. The council finds and declares that there is a significant public interest served in protecting and preserving the aesthetic beauty of the city. Further, the council finds that the indiscriminate and uncontrolled [erection,] installation, location, and height of antennas [eanbe and are detrimental to the city's appearance and [, therefore,] image: [that this can cause] may result in significant damage to the community's sense of well-being, particularly in residential areas[-]; and [can furtherharm the economy of the city with its tourist trade) may have negative economic impacts to the city's tourism industry, which relies heavily on the city's physical appearance. However, the council also finds that there is a need for additional height for certain types of utility poles and antennas. and that there is a clear public interest served by ensuring that those transmissions and receptions providing the public with power and [telecommunications] telecommunication services are unobstructed. Therefore, in accord with the health, safety, and aesthetic objectives [contained] set forth in Section 21-1.20, and [in-view of the particular]



ORDINANCE					
BILL	46	(2	02	2)	

<u>considering the</u> public interest needs associated with certain types of [telecommunications] <u>power and telecommunication</u> services:

- (A) Utility poles and broadcasting antennas [shall] <u>must</u> not exceed 500 feet from existing grade.
- (B) Antennas associated with utility installations [shall] must not exceed 10 feet above the governing height limit[, but]; provided that in residential districts where utility lines are predominantly located underground, the governing height limit [shall] will apply.
- (C) Receive-only antennas [shall] <u>must</u> not exceed the governing height limit, except as provided under Section 21-2.140-1.
- (5) Spires, flagpoles, and smokestacks, not to exceed 350 feet from existing grade.
- (6) One antenna for an amateur radio station operation per zoning lot, not to exceed 90 feet above existing grade.
- (7) Wind machines, where permitted[-]; provided that each machine [shall] must be set back from all property lines [one foot for each foot of height, measured from the highest vertical extension of the system.] pursuant to the standards in Article 5.
- (8) Any energy-savings device, including heat pumps and solar [collectors,] panels, not to exceed five feet above the governing height limit[-]; provided that solar panels on buildings other than detached dwellings or duplex units must not exceed 10 feet above the governing height limit. The area underneath rooftop solar panels installed pursuant to this paragraph must not be enclosed and not be counted as floor area.
- (9) Construction and improvements in certain flood hazard districts, as [specified] set forth in Sections 21-9.10-6 and 21-9.10-7.
- (10) Farm structures in agricultural districts, as specified in Article 3.
- (d) The following structures and associated screening may be placed on top of an existing building which is nonconforming with respect to height, under the specified restrictions:



ORDI	NA	NC	Ε						
BILI	1	6	1	2	0	2	2	A	

- (1) Any energy-savings device, including heat pumps, and solar [collectors,] panels not to exceed [42] five feet above the height of the [building] rooftop[-]; provided that solar panels on buildings other than detached dwellings or duplex units must not exceed 10 feet above the height of the rooftop. The area underneath rooftop solar panels installed pursuant to this paragraph must not be enclosed and not be counted as floor area.
- (2) Safety railings not to exceed 42 inches above the height of the [building] rooftop.

SECTION 3. Section 21-4.100, Revised Ordinances of Honolulu 1990 ("Outdoor lighting"), is amended to read as follows:

"For any commercial, industrial, or outdoor recreational development, lighting shall be shielded with full cut-off fixtures to eliminate direct illumination to any adjacent country, residential, apartment, apartment mixed use, or resort zoning district. For rooftop gathering spaces, lighting shall be shielded with full cut-off fixtures to eliminate direct illumination beyond the rooftop gathering space."

SECTION 4. Section 21-10.1, Revised Ordinances of Honolulu 1990 ("Definitions"), is amended by amending the definition of "Floor area" to read as follows:

""Floor area" means the area of all floors of a structure excluding unroofed areas, measured from the exterior faces of the exterior walls or from the center line of party walls dividing a structure. The floor area of a structure, or portion thereof, which is not enclosed by exterior walls shall be the area under the covering, roof or floor above which is supported by posts, columns, partial walls, or similar structural members which define the wall line (see Figure 21-10.4).

Excluded from the floor area are:

- (1) Parking structures, including covered driveways and accessways, porte cocheres, and parking attendant booths;
- (2) Attic areas with head room less than seven feet;
- (3) Basements;
- (4) Lanais;
- (5) Projections such as sunshade devices and architectural embellishments which are decorative only:
- (6) Areas covered by roofing treatment to screen roof top machinery only; and
- (7) Areas underneath <u>rooftop solar panels or</u> unsupported building overhangs, provided the area is not otherwise enclosed."



•	ORDI	NAN	ICE_				
	ווום	1	01	0.0	0	0.1	

SECTION 5. Ordinance material to be repealed is bracketed and stricken. New material is underscored. When revising, compiling, or printing this ordinance for inclusion in the Revised Ordinances of Honolulu, the Revisor of Ordinances need not include the brackets, the material that has been bracketed and stricken, or the underscoring. The Revisor of Ordinances shall, pursuant to the Revisor's authority under ROH Section 1-16.3(b)(1), replace the phrase "effective date of this ordinance" or similar phrase used in the codified language of this ordinance with the actual date on which the ordinance takes effect.



A BILL FOR AN ORDINANCE

SECTION 6. This ordinance takes effect upon its approval.

	NTRODUCED BY: Water (br
	your (b)
_	
_	
× ,-	
DATE OF INTRODUCTION:	
AUG 1 2022	
Honolulu, Hawaii	Councilmembers
APPROVED AS TO FORM AND LEGALITY	Y :
Deputy Corporation Counsel	_
APPROVED this day of	, 20
RICK BLANGIARDI, Mayor City and County of Honolulu	_
City and County of Honolulu	