

**SUMMARY OF PROPOSED COMMITTEE DRAFT:**

**Resolution 22-175**

**GRANTING A SPECIAL MANAGEMENT AREA (SMA) USE PERMIT TO ALLOW  
THE CONSTRUCTION OF THREE SINGLE-FAMILY DETACHED DWELLING UNITS,  
TWO SHALLOW SWIMMING POOLS, TWO GARAGES, LANDSCAPING  
ELEMENTS, AND SUPPORTING INFRASTRUCTURE AT TAX MAP KEY (TMK)  
5-8-003: 012 IN KAUNALA, NORTH SHORE.**

The **PROPOSED CD1** makes the following amendments:

- A. Amends the title and 1<sup>st</sup> WHEREAS clause by replacing "three single-family detached dwelling units" with "one single-family detached dwelling unit and one two-family detached dwelling unit (three dwelling units total)."
- B. Makes miscellaneous technical and nonsubstantive amendments.



# CITY COUNCIL

CITY AND COUNTY OF HONOLULU  
HONOLULU, HAWAII

No. **22-175, CD1**

PROPOSED

## RESOLUTION

GRANTING A SPECIAL MANAGEMENT AREA USE PERMIT TO ALLOW THE CONSTRUCTION OF ONE SINGLE-FAMILY DETACHED DWELLING UNIT AND ONE TWO-FAMILY DETACHED DWELLING UNIT (THREE DWELLING UNITS TOTAL), TWO SHALLOW SWIMMING POOLS, TWO GARAGES, LANDSCAPING ELEMENTS, AND SUPPORTING INFRASTRUCTURE AT TAX MAP KEY ("TMK") 5-8-003:012 IN KAUNALA, NORTH SHORE.

WHEREAS, on March 10, 2022, the Department of Planning and Permitting ("DPP") accepted the application (DPP Reference Number 2022/SMA-34) of John and Fumie Winebarger ("Applicant") for a Special Management Area ("SMA") Use Permit to allow for the construction of one single-family detached dwelling unit and one two-family detached dwelling unit (three dwelling units total), two shallow swimming pools, two garages, landscaping elements, and supporting infrastructure on approximately 50,205 square feet (1.15 acres) of land zoned R-5 Residential District, located at 58-2 Makanale Street in Kaunala, and identified as TMK 5-8-003:012 (the "Project"); and

WHEREAS, on June 17, 2022, the DPP held a public hearing which was attended by three members of DPP staff, two representatives of the Applicant, and four members of the public; testimony was offered by four members of the public and one representative of the Applicant at the hearing; and

WHEREAS, on July 18, 2022, within 20 working days after the close of the public hearing, the DPP, having duly considered all evidence and the objectives, policies, and guidelines as established in Sections 25-3.1 and 25-3.2, Revised Ordinances of Honolulu 1990 ("ROH"), and Sections 205A-2 and 205A-26, Hawaii Revised Statutes ("HRS"), completed its report and transmitted its findings and recommendation of approval to the City Council ("Council"); and

WHEREAS, the Council, having received the findings and recommendation of the DPP on July 19, 2022, by Departmental Communication 542 (2022), and having duly considered all of the findings and reports on the matter, desires to approve the subject application for an SMA Use Permit with the conditions enumerated below; now, therefore,

BE IT RESOLVED by the Council of the City and County of Honolulu that an SMA Use Permit be issued to the Applicant for the Project, subject to the following conditions:

- A. Development of the Project must be in general conformity with the Project as described in the DPP's findings and recommendation, referenced above, and as



# CITY COUNCIL

CITY AND COUNTY OF HONOLULU  
HONOLULU, HAWAII

No. 22-175, CD1

## RESOLUTION

depicted in Exhibits A through J, enclosed hereto and incorporated herein by this reference. Any change in the size or nature of the Project that has a significant effect on coastal resources addressed in ROH Chapter 25 or HRS Chapter 205A, or both, will require a new application and SMA Use Permit. Any change that does not have a significant effect on coastal resources will be considered minor modification and therefore permitted under this resolution, upon review and approval by the DPP Director.

- B. Upon approval of this SMA Use Permit, neither the Applicant nor any future successor, owner, or interested party may claim hardship due to erosion, sea level rise, or any other coastal hazard, in order to obtain approval for a new shoreline protection structure.
- C. Short-term rentals are not allowed on the site.
- D. If, during construction, any previously unidentified archaeological sites or remains (such as artifacts, shell, bone, or charcoal deposits, human burials, rock or coral alignments, pavings, or walls) are encountered, the Applicant shall stop work, protect the find from further disturbance, and contact the Department of Land and Natural Resources, State Historic Preservation Division ("SHPD") immediately. Work in the immediate area must be stopped until the SHPD is able to assess the impact and make further recommendations for mitigative activity.
- E. To minimize impacts to Hawaiian seabirds, the Hawaiian hoary bat, and nearshore species that may frequent or traverse the vicinity of the Project site, the Applicant is responsible for the following:
  - 1. Artificial light from exterior light fixtures, including but not limited to floodlights, uplights, or spotlights used for decorative or aesthetic purposes are prohibited if the light directly illuminates or is directed to project across property boundaries toward the shoreline and ocean waters, except as may otherwise be permitted pursuant to HRS Section 205A-71(b). Exterior lighting fixtures must be fully shielded with the light directed downward so that the light bulb is only visible from below the light fixture. Exterior lighting must be turned off when human activity is not occurring in the illuminated area;
  - 2. Nighttime work (from sunset to sunrise) must be avoided during the seabird fledging season (September 15 through December 15);



# CITY COUNCIL

CITY AND COUNTY OF HONOLULU  
HONOLULU, HAWAII

No. **22-175, CD1**

## RESOLUTION

---

3. Woody plants greater than 15 feet in height must not be disturbed, removed, or trimmed during the Hawaiian hoary bat birthing and pup rearing season (June 1 through September 15). Barbless fencing must be used for all fence construction to avoid entanglement of Hawaiian hoary bats; and
  4. All Project-related activities must cease if a Hawaiian monk seal or green sea turtle is present within 150 feet (ft.) of the work area, or as recommended by State or federal regulations. Project activities may only recommence after the animal voluntarily leaves the area. If a monk seal and/or pup pair is present, a 300 ft. buffer must be observed. Any Project-related debris that may impose an entanglement threat to monk seals and turtles must be removed from the work area at the end of each day and at the conclusion of Project-related activities.
- F. To minimize impacts of flooding, the Applicant must use pervious surface materials for the driveway such as, but not limited to, grasscrete or grass block pavers. Similarly, the area under the elevated structures may not be paved. The pervious material used for the driveway may be used under the structures.
- G. The addition of fill material to the Project site is not allowed, except as minimally required for site preparation around the base of the dwellings.
- H. In order to preserve underlying beach sands and coastal dunes, the Applicant must comply with the following measures:
1. New landscaping may not artificially fix the shoreline or be maintained in such a way that it effectively hardens the shoreline;
  2. Landscaping between the dwellings and shoreline must be limited to vegetation that is naturally hardy or endemic in the dune or shoreline area; and
  3. Irrigation systems must be designed such that water is not allowed to traverse makai of the shoreline into the State Land Use Conservation District or otherwise facilitate the growth of vegetation makai of the shoreline.



# CITY COUNCIL

CITY AND COUNTY OF HONOLULU  
HONOLULU, HAWAII

No. 22-175, CD1

## RESOLUTION

- I. **The Applicant shall obtain a development permit for the Project within two years after the effective date of this SMA Use Permit.** Failure to obtain a development permit within this period, will render this SMA Use Permit null and void, provided that this period may be extended as follows:
1. The DPP Director may extend this period if the Applicant demonstrates good cause, but the period must not be extended by the DPP Director beyond one year from the initial deadline set by the City Council.
  2. If the Applicant demonstrates good cause for an extension exceeding one year, the DPP Director shall prepare and submit to the Council a report on the proposed extension, which must include the DPP Director's findings and recommendations thereon. The Council may approve the proposed extension or an extension for a shorter or longer period, or deny the proposed extension, by adoption of a committee report or resolution.
  3. If the Council fails to take final action on the proposed extension within the first to occur of:
    - 60 days after receipt of the Director's report; or
    - The Applicant's then-existing deadline for obtaining a building permit;the extension will be deemed to be denied.
- J. Approval of this SMA Use Permit does not constitute compliance with other City ordinances, including but not limited to the Land Use Ordinance ("LUO") and building and construction codes, or other governmental requirements, including but not limited to LUO, building, grading, and grubbing permit approvals. They are subject to separate review and approval. The Applicant shall be responsible for ensuring that the final plans for the Project approved under this SMA Use Permit comply with all applicable City ordinances and other governmental provisions and requirements.
- K. **Conditions A through J must be printed on all development permit plans associated with implementation of the proposed development;** and



# CITY COUNCIL

CITY AND COUNTY OF HONOLULU  
HONOLULU, HAWAII

No. 22-175, CD1

## RESOLUTION

BE IT FINALLY RESOLVED that copies of this Resolution be transmitted to Dean Uchida, Director of Planning and Permitting, 650 South King Street, 7th Floor, Honolulu, Hawaii 96813; Stephanie Nagai, SWCA, 1200 Ala Moana Boulevard, Suite 380, Honolulu, Hawaii 96814; Suzanne Case, Chair, Department of Land and Natural Resources, 1151 Punchbowl Street, Suite 220, Honolulu, Hawaii; and Mary Alice Evans, Director of the Office of Planning and Sustainable Development, Attention: Coastal Zone Management Branch, P.O. Box 2359, Honolulu, Hawaii 96804-2359.

INTRODUCED BY:

Tommy Waters (br)

---

---

---

---

---

---

---

---

---

---

DATE OF INTRODUCTION:

August 1, 2022  
Honolulu, Hawai'i

Councilmembers

## Legend



Site



Special Management Area (SMA)  
Boundary



SMA Within SMA Boundary

Pacific Ocean

Sunset Beach  
Park

PROJECT SITE

Mākanale St

Maika Way  
Maika Pl

INSMA

Kamehameha Hwy  
Iwila Pl

Napoonala Pl

Kaunala St  
Kaunala Pl

Mamao Pl  
Mamao St

Comsat Access Rd  
Wehiwa Pl

Holawa Pl

Holawa St

Huelo St

Oopuola St

Kapua Pl

Kahauola St



Hoolua St

To Haleiwa

SMA

OUTSIDE SMA

SMA



VICINITY MAP

SITE

0 200 400 800  
Scale in Feet




## EXHIBIT A - LOCATION MAP WITH SPECIAL MANAGEMENT AREA (SMA)


TAX MAP KEY: 5-8-003:012

FOLDER NO: 2022/SMA-34











1 SITE PLAN  
SCALE: 1" = 40'

WINEBARGER VELZYLAND  
58-1 MAKANALE STREET PUPUKEA HALEIWA HAWAII 96712

# EXHIBIT D-1 - OVERALL SITE PLAN

6/27/2022

MORELAND  
DESIGNS





EXHIBIT D-2 - UNIT A GROUND FLOOR PLAN

6/27/2022

MORELAND  
DESIGN



1 FLOOR PLAN - MAIN LEVEL  
SCALE: 3/32" = 1'-0"

WINEBARGER VELZYLAND  
58-1 MAKANALE STREET PUPUKA HALEIWA HAWAII 96712

# EXHIBIT D-3 - UNIT A MAIN LEVEL FLOOR PLAN


6/27/2022

MORELAND  
S I G I










1

REAR NORTH ELEVATION

SCALE: 3/32" = 1'-0"



2

LEFT WEST ELEVATION

SCALE: 3/32" = 1'-0"




WINEBARGER VELZYLAND

58-1 MAKANALE STREET PUPUKEA HALEIWA HAWAII 96712

# EXHIBIT D-5 - UNIT A NORTH AND WEST ELEVATIONS

7/11/2022


MORELAND  
DESIGN



1

FRONT SOUTH ELEVATION

SCALE: 3/32" = 1'-0"



2

RIGHT EAST ELEVATION

SCALE: 3/32" = 1'-0"




WINEBARGER VELZYLAND

58-1 MAKANALE STREET PUPUEA HALEIWA HAWAII 96712

# EXHIBIT D-6 - UNIT A SOUTH AND EAST ELEVATIONS

7/1/2022


MORELAND  
DESIGNS



1

BUILDING SECTION B

SCALE: 3/32" = 1'-0"



2

BUILDING SECTION A

SCALE: 3/32" = 1'-0"




WINEBARGER VELZYLAND

58-1 MAKANALE STREET PUPUKEA HALEIWA HAWAII 96712

EXHIBIT D-7 - UNIT A BUILDING SECTIONS A AND B

7/1/2022

MORELAND  
DESIGN



1 B/C FLOOR PLAN - GROUND LEVEL  
SCALE: 1/32" = 1'-0"


WINEBARGER VELZYLAND

58-1 MAKANALE STREET PUPUKEA HALEIWA HAWAII 96712

# EXHIBIT D-8 - UNITS B AND C GROUND LEVEL FLOOR PLAN

7/1/2022

MORELAND  
DESIGNS



1 B/C FLOOR PLAN - MAIN LEVEL  
SCALE: 3/32" = 1'-0"

WINEBARGER VELZYLAND


58-1 MAKANALE STREET PUPUKEA HALEIWA HAWAII 96712

# EXHIBIT D-9 - UNITS B AND C MAIN LEVEL FLOOR PLAN

7/1/2022

MORELAND  
DESIGNS





1 B/C FLOOR PLAN - MID LEVEL  
SCALE: 3/32" = 1' 0"

WINEBARGER VELZYLAND

58-1 MAKANALE STREET PUPUKEA HALEIWA HAWAII 96712

EXHIBIT D-10 - UNITS B AND C - MID-LEVEL FLOOR PLAN

7/1/2022

MORELAND  
DESIGNS

1 B/C FLOOR PLAN - UPPER LEVEL  
SCALE: 3/32" = 1'-0"


WINEBARGER VELZYLAND


58-1 MAKANALE STREET PUPUKEA HALEIWA HAWAII 96712

EXHIBIT D-11 - UNITS B AND C - UPPER LEVEL FLOOR PLAN


7/1/2022

MORELAND  
DESIGNS





1 B/C FRONT SOUTHWEST ELEVATION  
SCALE: 3/32" = 1'-0"



2 B/C RIGHT SOUTH ELEVATION  
SCALE: 3/32" = 1'-0"


WINEBARGER VELZYLAND

58-1 MAKANALE STREET PUPUKA HALEIWA HAWAII 96712

EXHIBIT D-12 - UNITS B AND C - SOUTHWEST AND SOUTH ELEVATIONS

7/11/2022


MORELAND  
DESIGNS



1

B/C REAR EAST ELEVATION

SCALE: 3/32" = 1'-0"



2

B/C LEFT NORTH/WEST ELEVATION

SCALE: 3/32" = 1'-0"




WINEBARGER VELZYLAND

58-1 MAKANALE STREET PUPUKA HALEIWA HAWAII 96712

EXHIBIT D-13 - UNITS B AND C - EAST AND NORTHEAST ELEVATIONS

7/1/2022


MORELAND  
DESIGN



1

B/C BUILDING SECTION B

SCALE: 3/32" = 1'-0"



2

B/C BUILDING SECTION A

SCALE: 3/32" = 1'-0"



WINEBARGER VELZYLAND


58-1 MAKANALE STREET PUPUKA HALEKUA HAWAII 96712

EXHIBIT D-14 - UNITS B AND C - BUILDING SECTIONS



7/1/2022

MORELAND  
DESIGN





**EXHIBIT D-15 - PROPOSED LEACHFIELD PLAN**



Shoreline Survey  
of Lot 34 (Map 1)  
of Land Court Consolidation 211  
and Lot 180 (Map 15)  
of Land Court Application 1095  
At Kaunala, Koolauloa, Oahu, Hawaii  
Tax Map Key: (1) 5-8-003: 012


The shoreline is delineated in red to  
denote central on the shoreline as of  
JUL 30 2020

Prepared by: [Signature]  
Checked by: [Signature]



NOTES:  
①-⑩ Indicates Picture Number and Direction Taken  
— Denotes No Vehicle Access Permitted  
- - - Denotes Access Permitted

Property Owners:  
Makanahe Investments LLC  
4391 Kaula Avenue  
Honolulu, Hawaii 96818  
Property Address: 55-0022 Makanahe Street  
Honolulu, Hawaii 96812

EXHIBIT E-1 - CERTIFIED SHORELINE SURVEY 6.30.20



R. M. TOWELL CORPORATION  
This work was prepared by me or under my  
direct supervision  
[Signature]  
R. M. Towell  
Certified Professional Land Surveyor  
Certificate Number 10059



Shoreline Survey  
of Lot 34-A as Shown on  
DPP File No. 2002/SUB-10  
At Kaunala, Koolauloa, Oahu, Hawaii  
Tax Map Key: (1) 5-8-003: 012

NOTES:

① → Indicates Picture Number and Direction Taken

— Denotes No Vehicle Access Permitted

— Denotes Access Permitted

Property Owners: John R. Winebarger  
Fumie Winebarger

Property Address: 58-002 Makanale Street  
Haleiwa, Hawaii 96712



R.M. TOWILL CORPORATION  
This work was prepared by me  
or under my direct supervision

*Ryan M. Suzuki* 4/30/22  
Ryan M. Suzuki  
Licensed Professional Land Surveyor  
Certificate Number 10069

RATC Ref. No.: 1-23832-0-S  
F.N.: Makanale Shoreline 2020.Dwg  
F.B. No.: 8923

R. M. TOWILL CORPORATION  
SINCE 1988

2024 North King Street, Suite 200  
Honolulu, Hawaii 96819  
April 4, 2022





- Project Parcel
- TMK Parcels
- 3.2-Foot Sea Level Rise Inundation Area
- Ordinary High Water Mark
- DAR Stream: Non-Perennial

- NHD Flowlines
- NWI Wetland Type**
- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland
- Freshwater Forested/Shrub Wetland

Honolulu County, HI

NAD 1983 HARN UTM Zone 4N  
158.0345°W 21.6806°N

Base Map: ESRI ArcGIS Online,  
accessed June 2022


Updated: 6/15/2022  
Project No. 64941




**SWCA**  
ENVIRONMENTAL CONSULTANTS

## EXHIBIT F - WETLAND DELINEATION MAP









## EXHIBIT H - FLOOD ZONE MAP

0 65 130 260

Scale in Feet

Note: Data represented on this map is not  
intended to replace site survey.







**3.2 FEET OF SEA LEVEL RISE BY 2100 - PASSIVE FLOODING**



**3.2 FEET OF SEA LEVEL RISE BY 2100 - ANNUAL HIGH WAVE FLOODING**



**3.2 FEET OF SEA LEVEL RISE BY 2100 - COMBINED WITH COASTAL EROSION LINE**

## **EXHIBIT I - 3.2-FOOT SEA LEVEL RISE EXPOSURE AREA MAPS**






Storm Surge Inundation - Category 2 Hurricane



Storm Surge Inundation - Category 3 Hurricane



Storm Surge Inundation - Category 4 Hurricane

## EXHIBIT J - HURRICANE STORM SURGE MAPS