BILL039(25)
Testimony

MISC. COMM. 431

*HOUSING, HOMELESSNESS & PARKS (HHP)

***HOUSING, HOMELESSNESS & PARKS (HHP) Meeting**

Meeting Date: Aug 19, 2025 @ 02:30 PM

Support: 2

Oppose: 0

I wish to comment: 0

Name:	Email:	Zip:
Geena Thielen	geena@ccs-hawaii.com	96734
Representing:	Position:	Submitted:
Self	Support	Aug 18, 2025 @ 09:28 PM

Name:	Email:	Zip:
Roseann Freitas	ssakamoto@imanaka-asato.com	96789
Representing:	Position:	Submitted:
BIA Hawaii	Support	Aug 19, 2025 @ 08:16 AM

Testimony:

BIA Hawaii is in support of Bill 39, as it will support the building of much-needed housing. Thank you.

COMPLETE CONSTRUCTION SERVICES CORP.
GENERAL CONTRACTING & DEVELOPMENT
P.O. Box 757
Kailua, HI 96734
PH (808) 263-4900
www.ccs-hawaii.com
Lic# BC-23115

Honolulu City Council
Committee on Housing, Homelessness and Parks
City Council Chamber
Tuesday August 19 2025
2:30 PM

RE: Bill 39 Relating to Affordable Housing

Chair Tupola, Vice Chair Tulba, and members of the Committee,

I am writing in **SUPPORT** of Bill 39 Relating to Affordable Housing. This bill specifically affects Bill 7 (Ordinance 19-8) affordable housing projects. The bill is intended to correct what we believe to be an oversite affecting construction methodology of Bill 7 projects. Section 2.(c) of the ordinance is a list of less restrictive conditions applied to Bill 7 projects as it relates to "Fire-resistance rated construction and requirements."

The amendment proposed in Bill 39 does not seek to provide a less restrictive path to compliance. Instead we are asking to be allowed to follow ROH Chapter 20 Fire Code of the City and County of Honolulu. Specifically the issue we have encountered is that the Fire Code allows for the use of combustible fire sprinkler piping in fire rated enclosures such as walls and floors. Until recently DPP allowed this practice under the existing Fire Code until it was discovered that the language in Bill 7 did not allow it.

To put this into terms of actual cost, we have just recently received a proposal for our 53 unit Bill 7 project for an upgrade to all non-combustible pipe that is costing $120,000.00. This works out to $2,264.15 per unit. This is a significant expense on these projects and it is for a condition that exceeds current Fire Code standards. For these reasons I am asking for your support of this important legislation.

Sincerely,

Geena Thielen
President/RME